

Table 2. Ryegrass forage yields at Beaumont, Texas for 2003-2004.

Entry	12/3/03	1/21/04	2/19/04	3/16/04	4/5/04	Season Total	Crown Rust Rating
	First Harvest	Second Harvest	Third Harvest	Fourth Harvest	Fifth Harvest		
-----Ryegrass Dry Weight (lb/ac)-----							0-9
--							
4X	1154	2349	1448	1232	1615	7797	1.7
BB-Mex-1	1006	1965	1670	1361	1569	7570	2.7
Diamond T	1063	1605	1774	1414	1563	7419	3.3
Jumbo	1415	1630	1341	1285	1542	7212	1.0
Flying A	1079	1795	1615	1226	1343	7058	5.0
WD-40	743	2203	1431	1165	1422	6963	2.3
2002 (DRU) CRCT	696	2173	1381	1179	1466	6896	2.7
TXR2000-T2	743	1667	1525	1261	1379	6574	3.7
TXR2004-BL-3	598	2031	1281	1092	1392	6395	4.0
Beefbuilder	929	751	1458	1283	1894	6315	1.0
Abundant	1002	942	1622	1226	1495	6287	2.0
Archie	1245	1021	1606	1210	1156	6238	5.0
Rio	1109	901	1553	1247	1394	6203	3.0
ME 94	838	1182	1460	1431	1286	6197	5.3
TXR2001-11	686	931	1405	1333	1744	6099	1.3
Jackson	468	938	1670	1431	1536	6042	2.3
Prine	640	761	1599	1310	1717	6027	0.0
Ribeye	561	1301	1458	1315	1318	5953	4.0
FLX 2002 (New3)LRCT	677	747	1422	1386	1710	5942	1.3
TXR2003-B3	780	984	1543	1157	1396	5859	3.0
Double Barrel	724	818	1468	1251	1587	5847	2.3
BAR9TAM	600	1227	1365	1282	1351	5824	3.0
LM9929D	942	801	1623	1191	1262	5819	2.7
BAR LWT	842	1182	1494	1083	1209	5809	7.7
TXR2000-2	949	1309	1119	1068	1336	5781	4.3
Rockin R	821	1438	1489	1037	979	5765	7.0
FLX2003 (New2)ER	759	679	1832	1286	1168	5724	2.3
Graze-N-Gro	673	924	1457	1214	1453	5719	3.3
Brigadier	574	815	1455	1282	1570	5696	2.7
FLX3 2003(BD)4XLRCT	487	795	1357	1181	1873	5692	1.0
Ed	871	690	1238	1082	1777	5659	2.0
FL/OK 2001 (New1)LRCT	678	806	1392	1248	1528	5652	2.3
FLX3 2003 (G)4XLRLS	624	617	1700	1298	1370	5609	1.3
SG-BL	800	1279	1306	948	1105	5438	3.3
FL/NEX 2002(New2)LRCT	572	726	1278	1352	1484	5411	2.7
TXR2003-B7	565	758	1194	1132	1613	5262	2.7
TAM 90	417	671	1409	1200	1545	5242	2.7
TXR2003-C9	324	1018	1234	1168	1346	5089	4.0
Passerel Plus	474	857	1207	1073	1474	5085	4.3
Ducado	483	730	1368	1244	1209	5034	3.0



The information given herein is for educational purposes only. Reference to commercial products or trade names is made with the understanding that no discrimination is intended and no endorsement by Texas Cooperative Extension, Texas Agricultural Experiment Station and Texas A&M University is implied.

Educational programs conducted by Texas Cooperative Extension, Texas Agricultural Experiment Station and Texas A&M University are open to people without regard to race, color, sex, disability, religion, age, or national origin.

TXR2004-B8	288	785	1091	1071	1524	4760	2.7
TXR2003-2	313	680	1269	1260	1226	4749	2.7
TXR2003-T6	291	897	1137	1103	1285	4713	3.3
TXR2003-2	211	886	1132	1058	1407	4694	2.7
TXR2000-T1	320	931	1076	1011	1112	4450	2.3
Shiwasuaoba	515	1022	1322	755	812	4427	3.3
Marshall	636	773	802	825	1253	4289	10.0
WMN 97	617	580	892	814	944	3847	9.7
LSD (5% level)	456	422	369	334	351		2.24

Planted on September 30, 2003. Seeding rate was 30 lb/ac. Fertilizer application: 41 lb P applied on 12/15/03; 65 lb N applied on 11/3/03, 32 lb N on 1/7/04, 67 lb N on 1/12/04, 46 lb N on 1/23/04, and 50 lb N on 2/19/04, respectively, as urea.